



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities.

CALIFORNIA—*Los Angeles*.—Month of March, 1897. Estimated population, 100,000. Total deaths, 143, including phthisis pulmonalis, 46; diphtheria, 3; enteric fever, 1, and whooping cough, 1.

Oakland.—Month of March, 1897. Estimated population, 60,000. Total deaths, 65, including phthisis pulmonalis, 7; measles, 1, and whooping cough, 1.

San Francisco.—Month of March, 1897. Estimated population, 360,000. Total deaths, 560, including phthisis pulmonalis, 83; diphtheria, 12; enteric fever, 7; measles, 1; whooping cough, 2, and scarlet fever, 1.

COLORADO—*Denver*.—Month of March, 1897. Estimated population, 160,000. Total deaths, 184, including phthisis pulmonalis, 50; enteric fever, 4; diphtheria, 3; measles, 5, and whooping cough, 3.

CONNECTICUT.—Month of March, 1897. Reports to the State board of health from 164 towns, having an aggregate population of 850,610, show 1,369 deaths, including phthisis pulmonalis, 138; diphtheria, 33; enteric fever, 6; scarlet fever, 11; measles, 2, and whooping cough, 13.

IOWA—*Davenport*.—Month of March, 1897. Estimated population, 35,000. Total deaths, 34, including phthisis pulmonalis, 2, and membranous croup, 2.

MARYLAND—*Baltimore*.—Month of March, 1897. Estimated population, white, 431,054; colored, 75,344; total, 506,398. Total deaths, 865 (white, 633; colored, 232), including diphtheria, 21; phthisis pulmonalis, 127; enteric fever, 6, and scarlet fever, 7.

MASSACHUSETTS—*Fitchburg*.—Month of March, 1897. Estimated population, 28,392. Total deaths, 34, including phthisis pulmonalis, 4.

MICHIGAN.—Week ended April 10, 1897. Reports to the State board of health, Lansing, from 54 observers in different parts of the State show that phthisis pulmonalis was present at 162 places, measles at 73, diphtheria at 23, scarlet fever at 19, enteric fever at 14, whooping cough at 7 places, and smallpox at 1 place (Blissfield Township).

MINNESOTA—*Minneapolis*.—Month of March, 1897. Estimated population, 225,602. Total deaths, 189, including phthisis pulmonalis, 25; diphtheria, 1; whooping cough, 1, and enteric fever, 35.

St. Paul.—Month of March, 1897. Estimated population, 215,582. Total deaths, 140, including phthisis pulmonalis, 23; enteric fever, 2; diphtheria, 3; scarlet fever, 1, and membranous croup, 1.

MISSOURI—*St. Louis*.—Month of March, 1897. Estimated population, 600,000. Total deaths, 903; including phthisis pulmonalis, 127; diphtheria, 1; enteric fever, 1; whooping cough, 5; scarlet fever, 1, and croup, 2.

NEW HAMPSHIRE—*Manchester*.—Month of February, 1897. Estimated population, 60,000. Total deaths, 97, including phthisis pulmonalis, 6; enteric fever, 1; diphtheria, 2, and measles, 1.

NEW YORK—*Yonkers*.—Month of March, 1897. Estimated population, 40,000. Total deaths, 53, including phthisis pulmonalis, 9, and diphtheria, 4.

OREGON—*Portland*.—Month of March, 1897. Estimated population, 89,000. Total deaths, 85, including phthisis pulmonalis, 5; enteric fever 2, and diphtheria, 2.

TENNESSEE—*Nashville*.—Month of March, 1897. Estimated population, 87,754. Total deaths, 130, including phthisis pulmonalis, 17; measles, 1, and whooping cough, 3.

WISCONSIN—*Milwaukee*.—Month of March, 1897. Estimated population, 275,000. Total deaths, 335, including phthisis pulmonalis, 29; diphtheria and croup, 18; enteric fever, 3; measles, 6, and whooping cough, 1.